

# SAFETY DATA SHEET

## MasterKure 402 CLEAR

Version 1.0      Revision Date: 08.02.2023      SDS Number: 000000342205      Date of last issue: -  
Date of first issue: 08.02.2023

---

### SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Product name : MasterKure 402 CLEAR

Product code : 000000000050240831

#### Manufacturer or supplier's details

Company : MB Solutions Australia Pty Ltd

Address : 11 Stanton Road, Seven Hills  
NSW 2147

Telephone : +611300227300

Emergency telephone : ChemTel: +1-813-248-0585; Australia: 1-300-954-583

---

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Aspiration hazard : Category 1

Flammable liquids : Category 3

Skin irritation : Category 2

Germ cell mutagenicity : Category 1B

Carcinogenicity : Category 1B

Specific target organ toxicity -  
single exposure : Category 3

Specific target organ toxicity -  
single exposure : Category 3

Hazardous to the aquatic  
environment - acute hazard : Category 2

Hazardous to the aquatic  
environment - chronic hazard : Category 2

#### GHS label elements

Hazard pictograms : 

Signal Word : Danger

## MasterKure 402 CLEAR

Version 1.0      Revision Date: 08.02.2023      SDS Number: 000000342205      Date of last issue: -  
 Date of first issue: 08.02.2023

Hazard Statements : H226 Flammable liquid and vapor.  
 H315 Causes skin irritation.  
 H304 May be fatal if swallowed and enters airways.  
 H336 May cause drowsiness or dizziness.  
 H335 May cause respiratory irritation.  
 H350 May cause cancer.  
 H340 May cause genetic defects.  
 H401 Toxic to aquatic life.  
 H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements : **Prevention:**  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
 P201 Obtain special instructions before use.  
 P273 Avoid release to the environment.  
 P271 Use only outdoors or in a well-ventilated area.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P202 Do not handle until all safety precautions have been read and understood.  
 P243 Take action to prevent static discharges.  
 P261 Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.  
 P241 Use explosion-proof electrical/ ventilating/ lighting/ .? / equipment.  
 P264 Wash face, hands and any exposed skin thoroughly after handling.  
 P240 Ground and bond container and receiving equipment.  
 P242 Use only non-sparking tools.

**Response:**  
 P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.

**Storage:**  
 P233 Keep container tightly closed.  
 P403 + P235 Store in a well-ventilated place. Keep cool.  
 P405 Store locked up.

**Disposal:**  
 P501 Dispose of contents/container to appropriate hazardous waste collection point.

**Other hazards which do not result in classification**

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical nature : organic solvent

**Components**

Chemical name	CAS-No.	Concentration (% w/w)
Naphtha (petroleum), hydrodesulfurized heavy	64742-82-1	>= 50 -<= 100

# SAFETY DATA SHEET



## MasterKure 402 CLEAR

Version 1.0      Revision Date: 08.02.2023      SDS Number: 000000342205      Date of last issue: -  
Date of first issue: 08.02.2023

Solvent naphtha (petroleum), light arom.	64742-95-6	>= 10 -< 50
--	------------	-------------

### SECTION 4. FIRST AID MEASURES

- General advice : First aid personnel should pay attention to their own safety. Remove contaminated clothing.
- If inhaled : Remove the affected individual into fresh air and keep the person calm. If breathing difficulties develop, aid in breathing and seek immediate medical attention.
- In case of skin contact : Wash thoroughly with soap and water. Under no circumstances should organic solvent be used. If irritation develops, seek medical attention.
- In case of eye contact : Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.
- If swallowed : Rinse mouth and then drink 200-300 ml of water. Do not induce vomiting due to aspiration hazard. Do not induce vomiting unless told to by a poison control center or doctor.
- Most important symptoms and effects, both acute and delayed : May be fatal if swallowed and enters airways. Causes skin irritation. May cause respiratory irritation. May cause drowsiness or dizziness. May cause genetic defects. May cause cancer.
- Notes to physician : Treat symptomatically.

### SECTION 5. FIRE-FIGHTING MEASURES

- Suitable extinguishing media : Dry powder  
Alcohol-resistant foam
- Unsuitable extinguishing media : water jet
- Hazardous combustion products : harmful vapours  
nitrogen oxides  
fumes/smoke  
carbon black  
carbon oxides
- Specific extinguishing methods : The degree of risk is governed by the burning substance and the fire conditions. Containers may rocket or explode in heat of fire. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems.

# SAFETY DATA SHEET



## MasterKure 402 CLEAR

Version 1.0      Revision Date: 08.02.2023      SDS Number: 000000342205      Date of last issue: -  
Date of first issue: 08.02.2023

---

Contaminated extinguishing water must be disposed of in accordance with official regulations.

Special protective equipment for fire-fighters : Wear a self-contained breathing apparatus.

---

### SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Use personal protective clothing.  
Avoid prolonged inhalation.  
Avoid contact with the skin, eyes and clothing.  
Avoid all sources of ignition: heat, sparks, open flame.
- Environmental precautions : Prevent spread over a wide area (e.g. by containment or oil barriers).  
Contain contaminated water/firefighting water.  
Do not discharge into drains/surface waters/groundwater.
- Methods and materials for containment and cleaning up : Pick up with suitable appliance and dispose of.  
Dispose of absorbed material in accordance with regulations.
- 

### SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Sources of ignition should be kept well clear.  
Take precautionary measures against static discharges.  
Substance/product can form explosive mixture with air.  
Vapours are heavier than air and may accumulate in low areas and travel a considerable distance up to the source of ignition.
- Advice on safe handling : Take precautionary measures against static discharges.  
Keep away from sources of ignition - No smoking.  
Provide good room ventilation even at ground level (vapours are heavier than air).
- Hygiene measures : When using, do not eat, drink or smoke.  
Hands and/or face should be washed before breaks and at the end of the shift.  
At the end of the shift the skin should be cleaned and skin-care agents applied.  
Gloves must be inspected regularly and prior to each use.  
Replace if necessary (e.g. pinhole leaks).
- Further information on storage conditions : Keep container tightly closed and in a well-ventilated place.  
Keep away from heat.  
Avoid all sources of ignition: heat, sparks, open flame.
- 

### SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Ingredients with workplace control parameters

Components	CAS-No.	Value type (Form of	Control parameters / Permissible	Basis
------------	---------	---------------------	----------------------------------	-------

---

# SAFETY DATA SHEET

## MasterKure 402 CLEAR

Version 1.0      Revision Date: 08.02.2023      SDS Number: 000000342205      Date of last issue: -  
Date of first issue: 08.02.2023

		exposure)	concentration	
Naphtha (petroleum), hydrodesulfurized heavy	64742-82-1	TWA	900 mg/m <sup>3</sup>	AU OEL

### Personal protective equipment

Respiratory protection : Respiratory protection in case of vapour/aerosol release. Suitable respiratory protection for higher concentrations or long-term effect:  
Gas filter for gases/vapours of organic compounds (boiling point <65 °C, f.e. EN 14387 Type AX)

Hand protection

Remarks : Suitable chemical resistant safety gloves (EN 374) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN 374): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc. Manufacturer's directions for use should be observed because of great diversity of types.

Eye protection : Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Skin and body protection : Body protection must be chosen based on level of activity and exposure.  
Antistatic apron

Protective measures : Avoid inhalation of dusts/mists/vapours.  
Avoid contact with the skin, eyes and clothing.  
Avoid prolonged and/or repeated contact with the skin.  
Handle in accordance with good building materials hygiene and safety practice.

### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : liquid

Color : yellow

Odor : solvent

pH : Not applicable

Boiling point : > 160 °C

Flash point : > 50 °C

Flammability (liquids) : Flammable liquid and vapor.  
Method: derived from flash point

# SAFETY DATA SHEET

## MasterKure 402 CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.02.2023	000000342205	Date of first issue: 08.02.2023

---

Vapor pressure	:	0,3 kPa (20 °C)
Density	:	approx. 0,86 g/cm <sup>3</sup> (20 °C)
Bulk density	:	Not applicable
Solubility(ies)	:	
Water solubility	:	insoluble
Autoignition temperature	:	No data available
Decomposition temperature	:	Vapors may form explosive mixture with air. No decomposition if stored and handled as prescribed/indicated.
Viscosity	:	
Viscosity, dynamic	:	100 mPa.s ( 23 °C)
Explosive properties	:	explosive under influence of a flame explosive (class 1)
Oxidizing properties	:	Oxidizing

---

### SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	No hazardous reactions if stored and handled as prescribed/indicated.
Chemical stability	:	The product is stable if stored and handled as prescribed/indicated.
Possibility of hazardous reactions	:	No hazardous reactions if stored and handled as prescribed/indicated.
Conditions to avoid	:	See SDS section 7 - Handling and storage.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	No hazardous decomposition products if stored and handled as prescribed/indicated.

---

### SECTION 11. TOXICOLOGICAL INFORMATION

#### Acute toxicity

Not classified based on available information.

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Not classified based on available information.



**MasterKure 402 CLEAR**

Version 1.0      Revision Date: 08.02.2023      SDS Number: 000000342205      Date of last issue: -  
Date of first issue: 08.02.2023

---

**Other adverse effects****Product:**

Additional ecological information : Do not discharge product into the environment without control. The product has not been tested. The statements on ecotoxicology have been derived from the properties of the individual components.

---

**SECTION 13. DISPOSAL CONSIDERATIONS****Disposal methods**

Waste from residues : Observe national and local legal requirements. The waste code in accordance with the European waste catalog (EWC) must be specified in cooperation with disposal agency/manufacturer/authorities. Residues should be disposed of in the same manner as the substance/product.

Contaminated packaging : Contaminated packaging should be emptied as far as possible; then it can be passed on for recycling after being thoroughly cleaned.

---

**SECTION 14. TRANSPORT INFORMATION****International Regulations****IATA-DGR**

UN/ID No. : UN 1993  
Proper shipping name : Flammable liquid, n.o.s. (NAPHTHA/PETROLEUM)  
Class : 3  
Packing group : III  
Labels : Flammable Liquids  
Packing instruction (cargo aircraft) : 366  
Packing instruction (passenger aircraft) : 355

**IMDG-Code**

UN number : UN 1993  
Proper shipping name : FLAMMABLE LIQUID, N.O.S. (NAPHTHA/PETROLEUM)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Code : F-E, S-E  
Marine pollutant : yes

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable for product as supplied.

**Domestic regulation****ASIA\_ROAD**



# SAFETY DATA SHEET

## MasterKure 402 CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.02.2023	000000342205	Date of first issue: 08.02.2023

---

UN number	:	UN 1993
Proper shipping name	:	FLAMMABLE LIQUID, N.O.S. (NAPHTHA/PETROLEUM)
Class	:	3
Packing group	:	III
Labels	:	3
Hazchem Code	:	•3Y

---

### SECTION 15. REGULATORY INFORMATION

#### **Safety, health and environmental regulations/legislation specific for the substance or mixture**

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

#### **The ingredients of this product are reported in the following inventories:**

AIIC : On the inventory, or in compliance with the inventory

---

### SECTION 16. OTHER INFORMATION

Revision Date : 08.02.2023

Date format : dd.mm.yyyy

#### **Full text of other abbreviations**

AU OEL : Australia. Workplace Exposure Standards for Airborne Contaminants.

AU OEL / TWA : Exposure standard - time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New

# SAFETY DATA SHEET



## MasterKure 402 CLEAR

Version	Revision Date:	SDS Number:	Date of last issue: -
1.0	08.02.2023	000000342205	Date of first issue: 08.02.2023

---

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

AU / EN